	Document Title: Impact Performance Certification Authorization Report	Doc No: FRM B1-43		
		Rev No: 4	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 274
Issue Date: 10/7/2013
Revision Date: 3/25/2020
Expiration Date: 5/23/2023
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.


This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD555 PVC Impact Transom Operator Type: TR Config: Wide frame, GS-7/16" Ann Lami IG Max Width: 111 Max Height: 40 Corresponding Structural CARs: 190-1006.0

Referenced Standard:	Product Rating:
ASTM E1886-05/E1996-09/12	Missile Level D, Wind Zone 4, DP=+/-70, 111x40


Qualifying Test Information:	
Test Report No:	FTL-7402
Test Report Expiration:	5/23/2023

Authorized Signature:



Aaron Shultz
2020.03.25 09:40:00
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd., Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title: Impact Performance Certification Authorization Report	Doc No: FRM B1-43		
		Rev No: 4	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 275
Issue Date: 10/7/2013
Revision Date: 3/25/2020
Expiration Date: 5/23/2023
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.


This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD555 PVC Impact Sidelite Operator Type: SLT Config: Wide frame, GS-7/16" Ann Lami IG Max Width: 40 Max Height: 111 Corresponding Structural CARs: 190-1007.0

Referenced Standard:	Product Rating:
ASTM E1886-05/E1996-09/12	Missile Level D, Wind Zone 4, DP=+/-70, 40x111


Qualifying Test Information:	
Test Report No:	FTL-7402
Test Report Expiration:	5/23/2023

Authorized Signature:



Aaron Shultz
2020.03.25 09:42:57
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd., Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title: Impact Performance Certification Authorization Report	Doc No: FRM B1-43		
		Rev No: 4	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 276
Issue Date: 10/8/2013
Revision Date: 3/25/2020
Expiration Date: 5/21/2023
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD555 Outswing Impact French Door Operator Type: SHD Config: All, GS-5/16" Ann Lami IG Max Width: 76 Max Height: 96 Corresponding Structural CARs: 190-1009.0

Referenced Standard:	Product Rating:
ASTM E1886-05/E1996-09/12	Missile Level D, Wind Zone 4, DP=+/-70, 76x96 XX


Qualifying Test Information:	
Test Report No:	FTL-7396
Test Report Expiration:	5/21/2023

Authorized Signature:



Aaron Shultz
2020.03.25 09:47:04
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd., Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title: Impact Performance Certification Authorization Report	Doc No: FRM B1-43		
		Rev No: 4	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 277
Issue Date: 10/8/2013
Revision Date: 3/25/2020
Expiration Date: 5/21/2023
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.


This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD555 Outswing Impact French Door Operator Type: SHD Config: All, GS-5/16" Ann Lami IG Max Width: 76 Max Height: 96 Corresponding Structural CARs: 190-1009.0

Referenced Standard:	Product Rating:
ASTM E1886-05/E1996-09/12	Missile Level D, Wind Zone 4, DP=+/-50, 76x96 XX


Qualifying Test Information:	
Test Report No:	FTL-7396
Test Report Expiration:	5/21/2023

Authorized Signature:



Aaron Shultz
2020.03.25 09:50:05
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd., Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title: Impact Performance Certification Authorization Report	Doc No: FRM B1-43		
		Rev No: 4	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 278
Issue Date: 10/8/2013
Revision Date: 3/25/2020
Expiration Date: 5/21/2023
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD555 Impact Door/Sidelite Mullion Operator Type: Mull Config: Mull Max Width: 124 Max Height: 96 Corresponding Structural CARs: 190-1010.0

Referenced Standard:	Product Rating:
AAMA 450-10	Missile Level D, Wind Zone 4, DP=+/-70, 124x96 Wdth=41


Qualifying Test Information:	
Test Report No:	FTL-7403
Test Report Expiration:	5/21/2023

Authorized Signature:



Aaron Shultz
2020.03.25 09:52:58
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd., Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title:	Doc No:	FRM B1-02	
	Structural Performance Certification Authorization Report	Rev No: 7	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 1006.0
 Issue Date: 10/3/2013
 Revision Date: 3/25/2020
 Expiration Date: 5/23/2023
 Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.


This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD555 Impact Transom Operator Type: TR Config: Wide Frame, GS-7/16" Ann Lami IG Max Width: 111 Max Height: 40

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/IS2/A440-08	Class R-PG70 2819x1016 (111x40)-Type TR


Qualifying Test Information:	
Test Report No:	FTL-7393
Test Report Expiration:	5/23/2023

Authorized Signature:



Aaron Shultz
 2020.03.25 09:18:22
 -04'00'

Keystone Certifications, Inc.
 145 Limekiln Rd. Suite 100B
 New Cumberland, Pennsylvania 17070
 Phone: 717-932-8500
 Fax: 717-932-8501

	Document Title: Structural Performance Certification Authorization Report	Doc No: FRM B1-02		
		Rev No: 7	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 1007.0
Issue Date: 10/3/2013
Revision Date: 3/25/2020
Expiration Date: 5/23/2023
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD555 Impact Sidelite Operator Type: SLT Config: Wide Frame, GS-7/16" Ann Lami IG Max Width: 40 Max Height: 111

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/IS2/A440-08	Class R-PG70 1016x2819 (40x111)-Type SLT


Qualifying Test Information:	
Test Report No:	FTL-7393
Test Report Expiration:	5/23/2023

Authorized Signature:



Aaron Shultz
2020.03.25 09:21:19 -04'00'

Keystone Certifications, Inc.
145 Limekiln Rd. Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title: Structural Performance Certification Authorization Report	Doc No: FRM B1-02	
		Rev No: 7	Page: 1 Of: 1
Required By: PRO B1-03			

CAR & Product ID Number: 190 - 1009.0
Issue Date: 10/8/2013
Revision Date: 3/25/2020
Expiration Date: 5/21/2023
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.


This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD555 OS Impact French Door XX Operator Type: SHD Config: All, GS-5/16" Ann Lami IG Max Width: 76 Max Height: 96

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/IS2/A440-08	Class R-PG70 1930x2438 (76x96)-Type SHD


Qualifying Test Information:	
Test Report No:	FTL-7404
Test Report Expiration:	5/21/2023

Authorized Signature:



Aaron Shultz
2020.03.25 09:27:18
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd. Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title: Structural Performance Certification Authorization Report	Doc No: FRM B1-02	
		Rev No: 7	Page: 1 Of: 1
Required By: PRO B1-03			

CAR & Product ID Number: 190 - 1010.0
Issue Date: 10/8/2013
Revision Date: 3/25/2020
Expiration Date: 5/21/2023
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr., PO Box 1529 Nokomis, FL 34274 USA	Model: FD455/FD555 Door/Sidelite Mullion Operator Type: Mull Config: Mull Max Width: 124 Max Height: 96

Referenced Standard:	Product Rating:
AAMA 450-10	DP +/-70, Max Size=124x96 Panel width=41"

Qualifying Test Information:	
Test Report No:	FTL-7416
Test Report Expiration:	5/21/2023

Authorized Signature:



Aaron Shultz
2020.03.25 09:30:22
-04'00'

Keystone Certifications, Inc.
145 Limekiln Rd. Suite 100B
New Cumberland, Pennsylvania 17070
Phone: 717-932-8500
Fax: 717-932-8501